



**AEGIS COREA**  
*Counter Terrorism System*

*We make the highest technology*

**Product Introduction**

**AEGIS COREA**  
*The Best Spotting Scope*  
**A-1 spotter series**



Copyright ©all right reserved  
2006. AEGIS COREA CO., LTD.



# Spotting scope Wireless Observation System A 101 Series

## Use

**General use:** For an expert use like the birds observation, hunt or for general observation.


**Military use:** It is possible for a sniper to carry out an effective operation by monitoring and analyzing the operating situation.

A101-P, command center record the movement of an object like a terrorist and watch easily the observing situation through LCD monitor.

A101-S, is smooth communication for an operation order is possible since the command center and sniper can observe the target by wireless at the same time.

**Criminal investigation use:** When observing the criminal site or sniping the hostage-takers, it serves same convenience like a military use.

## Features

	<ul style="list-style-type: none"> <li>-accurate observation by the high-powered</li> <li>-long range observation</li> <li>-photographing image/ video file</li> <li>-synchronized recording digital/ analog</li> <li>-synchronized monitoring by several persons</li> <li>-real-time monitoring with the control center by wireless</li> </ul>	A-1 spotter (B)
		A-1 spotter (P)
		A-1 spotter (S)



## Product specification

### Field Scope



Field scope	ED102
Objective lens diameter	102mm
Focal range	$\infty \sim 3M$
Filter size	102mm
Water proof	Multi coated /Water Proof
Prism	BK7
Eye relief	15 ~ 18mm
Dimension (length x height x width)	515x136x110
Main body weight	1,690g

### Wireless auto control stand



Operating range	Horizontal : -360 degrees, vertical : -40 degrees~+90 degrees
Power	8 AA batteries, external 12V power use, power consumption 200~280mA
Speed	High speed (10.3 times), Low speed (2.8 times)
Accessories	controller, battery box
Weight	2Kg

\* Not included the batteries.

## Bracket



◆ Universal bracket UBK specification	
Adjustment stroke(*based on hole)	
Front and rear*	150 mm(front)~30 mm( rear )
Left and right*	87.5 mm(left)~22.5 mm( right)
Up and down	0 mm~236mm
Rotation stroke	
Horizontal direction	±180°
Vertical direction	±75°
Dimension	400(D) x190(W) x240(H)mm
Weight	980g

## Camcorder



Diameter	30mm
Lens cover	Automatic
Optical zoom	10 times
Digital zoom	80 times
Lens brightness	F1.8-2.9
Lens distance	F=5.1-51mm
LCD size	2.7" wide (16:9)
LCD function	Hybrid/ touch panel
View finder	Color
Night shot	Super night shot
Power	AC adopter 8.4V / battery 7.4V
Dimension	71*94*188mm
Weight	680g



## Tripod



Weight	2kg
Portable minimum size	54cm
Minimum height	11cm
Maximum height	165cm
Maximum load	7kg

## Control System



Wireless Communication Displayer (Commander Center)
17 inches LCD
Panel of SAMSUNG
Wireless receiver
AV input/ terminal output
Size : W475*L355*D180

\*Included High density special engineering plastic case

The specifications are subject to change, without prior notice for amendment & improvement.



**A-1 spotter (B):** AEGIS spotting scope



**A-1 spotter (P):** AEGIS auto control spotting system



**A-1 spotter (S):** AEGIS spotting communication system

**A-1 spotter series Sales Enquiries Support Center**  
**+91-11-26167353**

**Online Information**  
**[www.wtpl.co.in](http://www.wtpl.co.in)**

**Ask about**  
**product inquiry,**  
**quality guarantee, tech info**

